



Pool & Balustrade Hardware

Hinges | Latches | Miniposts |
Standoffs | Handrails


Forge supply a wide range of the highest quality glass balustrade products at amazing trade prices. We have an extensive range of joiners and accessories to suit all styles of handrails to get the job done.



FORGE MINIPOST 2205 BASE-MOUNT SQUARE

ORDER CODE: FHMP SBS(SSS), FHMP SBP(PSS), FHMP SBBLK)


- Pool fence glass balustrade spigots
- Base mount for suitable for deck or flat solid ground
- Friction fit so no holes in glass required
- suitable for 12mm glass
- The strongest mini-posts on the market
- Square profile
- Made from 2205 grade stainless steel
- Polished / Satin / Black Powder Coated



FORGE MINIPOST 2205 CORE-DRILLED SQUARE

ORDER CODE: FHMP SC S(SSS), FHMP SCP(PSS)

- Pool fence glass balustrade spigots
- Core drilled for applications where a more solid footing is required
- Friction fit so no holes in glass required
- suitable for 12mm glass
- The strongest mini-posts on the market
- Square profile
- Made from 2205 grade stainless steel
- Polished / Satin






GLASS ANCHOR 38MM DIAMETER X 20MM SPACER SSS

ORDER CODE: BF10003820S


- Glass anchor stand off
- Button thickness 20mm
- 38mm diameter
- Spacer thickness 20mm
- Supplied with M12 threaded rod as standard
- Optional LSM1260100 timber leg screw (sold separately)
- Made from 316mm grade stainless steel
- Satin



GLASS ANCHOR 38MM DIAMETER X 30MM SPACER SSS

ORDER CODE: BF10003830S

- Glass anchor stand off
- Button thickness 20mm
- 38mm diameter
- Spacer thickness 30mm
- Supplied with M12 threaded rod as standard
- Optional LSM1260100 timber leg screw (sold separately)
- Made from 316mm grade stainless steel
- Satin






GLASS ANCHOR 50MM DIAMETER X 20MM SPACER SSS

ORDER CODE: BF10005020S


- Glass anchor stand off
- Button thickness 20mm
- 50mm diameter
- Spacer thickness 20mm
- Supplied with M12 threaded rod as standard
- Optional LSM1260100 timber leg screw (sold separately)
- Made from 316mm grade stainless steel
- Satin



GLASS ANCHOR 50MM DIAMETER X 30MM SPACER SSS

ORDER CODE: BF10005030S

- Glass anchor stand off
- Button thickness 20mm
- 50mm diameter
- Spacer thickness 30mm
- Supplied with M12 threaded rod as standard
- Optional LSM1260100 timber leg screw (sold separately)
- Made from 316mm grade stainless steel
- Satin






GLASS ANCHOR SLIMLINE 38MM DIAMETER X 20MM SPACER SSS

ORDER CODE: BF11503820S


- Glass anchor stand off
- Slimline button thickness 8mm (non foot hold design)
- 38mm diameter
- Spacer thickness 20mm
- Supplied with M12 threaded rod as standard
- Optional LSM1260100 timber leg screw (sold separately)
- Made from 316mm grade stainless steel
- Satin



GLASS ANCHOR SLIMLINE 38MM DIAMETER X 30MM SPACER SSS

ORDER CODE: BF11503830S

- Glass anchor stand off
- Slimline button thickness 8mm (non foot hold design)
- 38mm diameter
- Spacer thickness 30mm
- Supplied with M12 threaded rod as standard
- Optional LSM1260100 timber leg screw (sold separately)
- Made from 316mm grade stainless steel
- Satin






GLASS ANCHOR SLIMLINE 50MM DIAMETER X 20MM SPACER SSS

ORDER CODE: BF11505020S


- Glass anchor stand off
- Slimline button thickness 8mm (non foot hold design)
- 50mm diameter
- Spacer thickness 20mm
- Supplied with M12 threaded rod as standard
- Optional LSM1260100 timber leg screw (sold separately)
- Made from 316mm grade stainless steel
- Satin



GLASS ANCHOR SLIMLINE 50MM DIAMETER X 30MM SPACER SSS

ORDER CODE: BF11505030S

- Glass anchor stand off
- Slimline button thickness 8mm (non foot hold design)
- 50mm diameter
- Spacer thickness 30mm
- Supplied with M12 threaded rod as standard
- Optional LSM1260100 timber leg screw (sold separately)
- Made from 316mm grade stainless steel
- Satin






M12 TIMBER FIX LAG SCREW @ 160MM LONG OVERALL

ORDER CODE: LSM1260100

- Timber leg screw suit Forge BF series glass anchor
- Total length 160mm
- Timber screw thread length 60mm
- BF M12 thread length 100mm
- Made from 316mm grade stainless steel






HANDRAIL BRACKET 50MM DIAMETER 75MM OFFSET CURVE SADDLE SSS

ORDER CODE: BF135050CS


- Handrail fixing bracket
- Suitable for mounting handrails to glass or directly into a wall
- Can be attached to timber, aluminium or steel
- Curve saddle suitable for fixing to round handrails
- Suitable for 8 - 17.5mm glass
- Contains 8mm Slimline Flat Cap
- M10 Thread
- 75mm offset to be code compliant with 50mm diameter handrail
- Made from 316mm grade stainless steel
- Satin



HANDRAIL BRACKET 50MM DIAMETER 75MM OFFSET FLAT SADDLE SSS

ORDER CODE: BF135050FS

- Handrail fixing bracket
- Suitable for mounting handrails to glass or directly into a wall
- Can be attached to timber, aluminium or steel
- Flat saddle suitable for fixing to square handrails
- Suitable for 8 - 17.5mm glass
- Contains 8mm Slimline Flat Cap
- M10 Thread
- 75mm offset to be code compliant with 50mm diameter handrail
- Made from 316mm grade stainless steel
- Satin








GLASS CLAMP SQUARE 55X55 FLAT BACK

ORDER CODE: FBF2000P(PSS) , FBF2000S(SSS)

- Balustrade brackets to suit square posts
- 50mm x 50mm
- suitable for 8, 10 and 12mm glass with gaskets
- Optional installation with glass pin supplied
- Made from 316mm grade stainless steel
- Polished / Satin

Glass Cutout
(If Pin is used)

Application






RIGIDITY CLAMP 180 DEGREE 70 X 25

ORDER CODE: RGCLP180P(Polish), RGCLP180B(Black), RGCLP180S(Satin)


- Rigidity Clamp
- For bracing between 180 degree join glass panels
- 70mm length to reach 20-50mm glass gap
- Friction fit no hole required
- suitable for 12mm glass
- Made from 316 grade stainless steel
- Polished / Satin / Black Powder Coated



RIGIDITY CLAMP 180 DEGREE 140 X 25

ORDER CODE: RGCLP180EXTS(Satin), RGCLP180EXTP

- Rigidity Clamp
- For bracing between 180 degree join glass panels
- 140mm extended length to reach 20-95mm glass gap
- Friction fit no hole required
- suitable for 12mm glass
- Made from 316 grade stainless steel
- Polished / Satin / Black Powder Coated






RIGIDITY CLAMP 90 DEGREE 75 X 50

ORDER CODE: RGCLP90S(Satin), RGCLP90P(Polish), RGCLP90B(Black)


- Rigidity Clamp
- For bracing between 90 degree join glass panels
- Friction fit no hole required
- suitable for 12mm glass
- Made from 316 grade stainless steel
- Polished / Satin / Black Powder Coated



RIGIDITY CLAMP MULTI ANGLE 102/110 X 24

ORDER CODE: RGCLPADJS(Satin), RGCLPADJP(Polish), RGCLPADJB(Black)

- Rigidity Clamp
- For bracing between multi angle join glass panels
- Friction fit no hole required
- suitable for 12mm glass
- Made from 316 grade stainless steel
- Polished / Satin / Black Powder Coated






RIGIDITY CLAMP WALL FIX 55 X 43

ORDER CODE: RGCLPWLS(Satin), RGCLPWLP(Polish), RGCLPWL(BBlack)

- Rigidity Clamp
- For bracing between 90 degree wall to glass panels
- Friction fit no hole required
- suitable for 12mm glass
- Made from 316 grade stainless steel
- Polished / Satin / Black Powder Coated






TOP RAIL SLIMLINE 25X21 SQUARE 12MM GLASS RUBBER

ORDER CODE: FTRRUBBER12


- Rubber insert to suit FTRSQ3000 and FTRSQ5800 top rail
- suitable for 12mm glass applicator



TOP RAIL SLIMLINE 25X21 SQUARE WALL BRACKET

ORDER CODE: FTRSQ1S (Satin), FTRSQ1P (Polish), FTRSQ1B (Black)

- Wall connector for FTR3000 and FTR5800 top rail
- Grub screw for easy connection
- Made from 316 grade stainless steel
- Polished / Satin / Black Powder Coated






TOP RAIL SLIMLINE 25X21 SQUARE END CAP

ORDER CODE: FTRSQ2S(Satin), FTRSQ2P(Polish), FTRSQ2B(Black)


- End cap for FTR3000 and FTR5800 top rail
- Made from 316 grade stainless steel
- Polished / Satin / Black Powder Coated



TOP RAIL SLIMLINE 25X21 SQUARE 3.0 METRES

ORDER CODE: FTRSQ3000B(Black), FTRSQ5800S(Satin), FTRSQ5800P(Polish)

- Slimline balustrade top rail
- Square 25mm x 21mm
- Suitable for 10mm and 12mm glass
- No welding required when used with FTR connectors (sold separately)
- Made from 316 grade stainless steel
- 5.8m length (polished & satin), 3.0m length (black)
- Polished / Satin / Black Powder Coated






TOP RAIL SLIMLINE 25X21 SQUARE STRAIGHT JOINER

ORDER CODE: FTRSQ3S(Satin), FTRSQ3P(Polish), FTRSQ3B(Black)


- Straight joiner for FTR3000 and FTR5800 top rail
- Made from 316 grade stainless steel
- Polished / Satin / Black Powder Coated



TOP RAIL SLIMLINE 25X21 SQUARE 90 DEGREE JOINER

ORDER CODE: FTRSQ4S(Satin), FTRSQ4P(Polish), FTRSQ4B(Black)

- 90 degree joiner for FTR3000 and FTR5800 top rail
- Made from 316 grade stainless steel
- Polished / Satin / Black Powder Coated






TOP RAIL SLIMLINE 25X21 SQUARE VERTICAL MULTI ANGLE JOINER

ORDER CODE: FTRSQ6S(Satin), FTRSQ6P(Polish), FTRSQ6B(Black)


- Vertical multi angle joiner for FTR3000 and FTR5800 top rail
- Made from 316 grade stainless steel
- Polished / Satin / Black Powder Coated



TOP RAIL SLIMLINE 25X21 SQUARE HORIZONTAL MULTI ANGLE JOINER

ORDER CODE: FTRSQ7S(Satin), FTRSQ7P(Polish), FTRSQ7B(Black)

- Horizontal multi angle joiner for FTR3000 and FTR5800 top rail
- Made from 316 grade stainless steel
- Polished / Satin / Black Powder Coated





DON CORNING 580 GLASS, METAL AND MASONRY SILICONE WHITE

ORDER CODE: SIL580W

580 Glass, Metal & Masonry Sealant is a high performance neutral cure silicone sealant designed for a wide range of glazing, weathersealing and Professional Trade Applications.

Brand: DOWSIL

Colour: White

Size: 400g

Shelf Life Length: 365 Days

Recommended uses

- Glass
- Aluminium
- Ceramics
- Brick
- Steel
- Fibreglass



DON CORNING 580 GLASS, METAL AND MASONRY SILICONE BLACK

ORDER CODE: SIL580B

580 Glass, Metal & Masonry Sealant is a high performance neutral cure silicone sealant designed for a wide range of glazing, weathersealing and Professional Trade Applications.

Brand: DOWSIL

Colour: Black

Size: 400g

Shelf Life Length: 365 Days

Recommended uses

- Glass
- Aluminium
- Ceramics
- Brick
- Steel
- Fibreglass



DON CORNING 680 ANTIFUNGAL GLASS, METAL AND MASONARY SILICONE TRANSPARENT

ORDER CODE: SIL680T

680 sanitary sealant is a high performance neutral cure silicone sealant specially formulated to prevent mould and mildew and is ideal where conditions of high humidity and temperature exist.


- Suitable for porous and non-porous substrates
- Resistant to cleaning chemicals
- Inhibits the growth of mould and mildew
- Permanently flexible
- 100% silicone
- Neutral cure

Brand: DOWSIL

Colour: Transparent

Size: 300g

Shelf Life Length: 365 Days



SILCION SPETULA SOFT BLUE

ORDER CODE: SSB

- For smoothing sealed surfaces
- 90 x 90 x 5mm
- Rounded corner is ideal for tooling uncured silicone